2237 Transaction # 607-12-1-6058-0005

LIMITED SOURCES JUSTIFICATION

ORDERS >\$3,000

FAR PART 8.405-6(g)

273) Fransaction # or Vista Equipment Transaction #:607-12-1-6058-0005

This securitation is conducted under the authority of the Multiple Award Schedule Program. The material or service lists 4 in part 3 below is sole source, therefore, consideration of the number of contractors required by FAR Subpart 8.4-Federal Supple Schedules, is precluded for the reasons indicated below.

anulacourer/Contractor POC & phone number: Mike I	
Systillantiactor Address: AutoMed Technologies, Inc.	1400 Busch Parkway, Buffalo Grove, IL 60089-4541
Depres Rep address/phone number: N/A	
×	
	a a
The requested material or service represents the	minimum requirements of the Government.
The requested material or service represents the	minimum requirements of the Government.
The requested material or service represents the	minimum requirements of the Government.
	minimum requirements of the Government. Department of Veterans Affairs
	Department of Veterans Affairs
() ASSISTED AND CONTRACTING ACTIVITY:	Department of Veterans Affairs
() ASSISTED AND CONTRACTING ACTIVITY:	Department of Veterans Affairs VISN 12 Great Lakes Acquisition Center

5 +2 + x + +

2237 Transaction # 607-12-1-6058-0005

12) MATURE AND/OR DESCRIPTION OF ACTION BEING APPROVED:

More elect Drug Dispensing Stations for the William S. Middleton VAH in Madison WI. The delivery order will be lessed to Americance Bergen on a sole source basis.

(3) (3) A DESCRIPTION OF THE SUPPLIES OR SERVICES REQUIRED TO MEET THE AGENCY'S NEED:

Med Select (MS) Automated Controlled Substances Disponsing Stations for & patient care areas includes 5 drawer.

Supply List Disponsing Stations for 4 inpatient areas (Prep-Recovery, Post Operative, Minor Procedure, and

interpolational Radiology, and (1) 5 drawer Med Order Disponsing Station for inpatient behavioral health. 11 drawer

in the and 1 supply cabinet in various different sizes is required for added storage to integrate into 12 of the

assumed for safe patient care.

(b) ESTIMATED D	OLLAR VALUE	: S		
	19			
(e) REQUIRED DE	LIVERY DATE:	November 2	:011	

(4) IDESTRIPICATION OF THE JUSTIFICATION RATIONALE (SEE FAR 8,405-6), AND IF APPLICABLE. A DEMONSTRATION OF THE PROPOSED CONTRACTOR'S UNIQUE QUALIFICATIONS TO PROVIDE THE REQUIRED SUPPLY OR SERVICE.

Noscific characteristics of the material or service that limit the availability to a sole source (unique feature,

Lors in 21 existing MS systems currently in use in the facility. The equipment requested here will complete our facility project of outfitting the hospital with one, consistent make and model of automated controlled substance (CS) disconsing stations. Acquisition of this equipment will insure that we continue to provide safe delivery and dispensing of controlled substances to our veteran patients. MS is the only system that has the resources and industructure to insure all the equipment functions properly. The 5 MS systems requested here require a computer operating system platform within VISTA/CPRS and it must be compatible with our existing fleet of MS systems. In addition to the compatibility requirement, the MS computer system provides for HL7 interface which is unique to, and specifically programmed for, the Veterans' Health Administration. Applying a different vendor to the existing fleet of the equipment will add unnecessary complexity to our current automated controlled substance dispensing system and it will require the addition of at least one computer server (approximate cost of \$10,000) and additional computer program applications. Every CS system vendor has their own unique proprietary operating package. Introducing new, additional operating system into our current package would be nearly impossible to integrate into the existing station and work effectively. Anticipated expenses would include increased cost of training on how to use the last face by IT staff, biomedical engineering staff, and front-line users. In addition to the need for an extended

2237 Transaction # 607-12-1-8058-0005

and competency requirements placed on Nursing staff would add another level of complexity which could affect safe tradent care. Requiring nearly 500 Nursing staff to become proficient in more than one automated controlled will make dispensing would result in massive implementation delays and an incredible cost to the hospital for training in a Finally, if any other vendor were to perform this work there would be ongoing problems of responsibility wis a problems occur.

The ficility has purchased and in the process of installing NWS (Nurse Work Station) desktop applications for a supplied to the process of installing NWS (Nurse Work Station) desktop applications for the supplied to the process of usage and run discrepancy reports to provide resolution capability in the difference between quantity of CS while sense quantity reported by user. Applying a different vendor would be inofficient as each CS system has a different proprietary package that would be very complex to integrate into the existing system and work effectively.

Physical purchased a medication packaging machine that packages CS to fit in the coils of the unit dose modules of the MS machines. Allowing a different vendor will require a different packaging machine and thus more expense for the second equipment and staff training.

Accordingly, AmericourceBergen is the only firm capable of providing the supplies and services described in Section 4 theory without the Veteran's Health Administration experiencing substantial duplication of cost that could not be accorded to be recovered through competition.

(5) OF SURIBE WHY YOU BELIEVE THE ORDER REPRESENTS THE BEST VALUE CONSISTENT WITH

FAR A 404(d) TO AID THE CONTRACTING OFFICER IN MAKING THIS BEST VALUE DETERMINATION.

this order represents the best value to the Government because the Medselect Drug Dispensing Carts are the only steam that can effectively integrate with the existing drug dispensing system. Since the pricing under this PSS schedule has been determined to be fair and reasonable, and these are the only carts that integrate within the existing system, a sole source purchase order to Amerisource Bergen is the best value for the Government.

(6) DESCRIBE THE MARKET RESEARCH CONDUCTED AMONG SCHEDULE HOLDERS AND THE

RESIDENS OR A STATEMENT OF THE REASON MARKET RESEARCH WAS NOT INCLUDED:

The end user conducted Market Research of FSS schedule holders and has determined that Amerisource is the only quairfied who can supply the needed carts

(TO ASS.) OTHER FACTS SUPPORTING THE JUSTIFICATION:

HUNF

2237 Transaction # 607-12-1-6058-0005

(8) A STATEMENT OF THE ACTIONS, IF ANY, THE AGENCY MAY TAKE TO REMOVE OR OVERCOME
ANY EXPRIES THAT LED TO THE RESTRICTED CONSIDERATION BEFORE ANY SUBSEQUENT
ACQUISITION FOR THE SUPPLIES OR SERVICES IS MADE:

It is standard industry-practice for manufacturers to design and build their system in such a way that any other manufacturer's products will not interface with them. Once one system has been purchased it is in the best interest of the Povernment to expand on that system using that particular vendor's components, otherwise we would need to throw our the system one is using and start from scratch with another complete new system.

29) ALIQUIREMENTS CERTIFICATION: I certify that the requirement outlined in this justification is a bonfide need of the Department of Veterans Affairs and that the supporting data under my cognizance, which are included in the justification, are accurate and complete to the best of my knowledge. I understand that processing of this limited source justification restricts consideration of Federal Supply Schedule contractors to fewer than the number required by FAR Subpact 8.4. (This signature is the requestor's supervisor, fund control point official, chief of service or someone with respectibility and accountability.)

DATE

DATE

DATE

Projects Conductor MDROPHING IN INTERIOR STRUCTURE

DIVINGUES ON UA Medical Center

FACELLY

PAGE 1500 UA Medical Center

FACELLY

2237 Transaction # 607-12-1-6058-0005

(10) APPROVALS IN ACCORDANCEWITH FAR 8.405-6(h):

a. CONTRACTINGOFFICER'S CERTI	FICATION (required): I certify that the foregoing justification is accurate
and come lete to the best of my knowledge a	ind belief.
1	

ACTING OFFICER'S SIGNATURE

DATE

Nober Street

FACILITY

c. Na Major Designee: I certify the justification meets requirements for restricting consideration of Federal Supply Schools contractors to fewer than the number of required by FAR Subpart 8 4.

crossin Harngez

1970

NARGE

VISA 12 NCM